

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L1 | 2 | ("4959810").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/02 11:24 |
| S1 | 170 | (vcr or (video adj cassette adj recorder)) and (automatic\$4 with (download\$3 or receiv\$3) with code) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/02 11:24 |
| S2 | 15 | (vcr or (video adj cassette adj recorder)) same (automatic\$4 with (download\$3 or receiv\$3) with code) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/06 13:57 |
| S3 | 3 | (vcr or (video adj cassette adj recorder)) same (remote with popular with (download\$3 or receiv\$3) with code) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/06 13:57 |
| S4 | 4 | (vcr or (video adj cassette adj recorder)) and (remote with popular with (download\$3 or receiv\$3) with code) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/06 13:58 |
| S5 | 4 | (remote with popular with (download\$3 or receiv\$3) with code) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/06 14:00 |
| S6 | 23 | (remote with cache with (download\$3 or receiv\$3) with code) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/06 14:01 |
| S7 | 67 | (remote adj control\$4) same (stb or (set adj top adj box)) same ((download\$3 or receiv\$3) near3 code) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/06 14:02 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|----|------------------|
| S8 | 11 | ((remote adj control\$4) same (stb or (set adj top adj box)) same ((download\$3 or receiv\$3) near3 code)) and @ad<"20001024" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/06 14:07 |
| S9 | 0 | ((remote adj control\$4) same cache same servew same ((download\$3 or receiv\$3) near3 code)) and @ad<"20001024" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/06 14:07 |
| S10 | 0 | ((remote adj control\$4) same cache same server same ((download\$3 or receiv\$3) near3 code)) and @ad<"20001024" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/06 14:08 |
| S11 | 1 | ((remote adj control\$4) same cache same ((download\$3 or receiv\$3) near3 code)) and @ad<"20001024" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/06 14:08 |
| S12 | 28 | ((remote adj control\$4) same server same ((download\$3 or receiv\$3) near3 code)) and @ad<"20001024" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/06 14:13 |
| S13 | 0 | ((remote adj control\$4) same popular same server same ((download\$3 or receiv\$3) near3 code)) and @ad<"20001024" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/06 14:09 |
| S14 | 10 | ((remote adj control\$4) same server same cach\$3 same code) and @ad<"20001024" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/06 15:00 |
| S15 | 14 | ((download\$3 or receiv\$3) with code with (remote)) same (stb or stt or (set adj top adj box) or (set adj top adj terminal))) and @ad<"20001024" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/06 15:02 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S16 | 2 | ("5692214").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/07/06 14:30 |
| S17 | 20 | (john adj quincy).in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/06 14:30 |
| S18 | 35 | "725"/\$.ccls. and (automatic\$5 with remote with code) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 10:12 |
| S19 | 1 | "725"/\$.ccls. and ((remote adj control\$3) with code with server with memory) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 10:13 |
| S20 | 13 | "725"/\$.ccls. and ((remote adj control\$3) with code with server) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 10:16 |
| S21 | 34 | "725"/\$.ccls. and ((remote adj control\$3) with (retriev\$3 or download\$3) with server) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 10:18 |
| S22 | 15 | "725"/\$.ccls. and ((remote adj control\$3) with (db or database or (data adj base)) with code) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 10:33 |
| S23 | 218 | "725"/\$.ccls. and ((remote adj control\$3) with (db or database or (data adj base))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 10:22 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S24 | 203 | S23 not S22 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 10:22 |
| S25 | 59 | S24 and @ad<"20001024" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 10:22 |
| S26 | 5 | "725"/\$.ccls. and ((remote adj control\$3) with automatic\$5 with (db or database or (data adj base))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 10:23 |
| S27 | 0 | "725"/\$.ccls. and ((remote adj control\$3) with code with (missing near3 memory)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 10:33 |
| S28 | 0 | "725"/\$.ccls. and ((remote adj control\$3) with code with (local near3 memory)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 10:34 |
| S29 | 0 | "725"/\$.ccls. and ((remote adj control\$3) with code with (local near3 (db or database or (data adj base)))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 10:34 |
| S30 | 22 | ((remote adj control\$4) with code with (download\$3) with server) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 10:37 |
| S31 | 172 | ((remote adj control\$4) with code with server) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 10:37 |

EAST Search History

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S32 | 14 | ((remote adj control\$4) with code with (download\$3) with (db or database or (data adj base))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 10:40 |
| S33 | 13 | ((remote adj control\$4) with code with server with memory) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 10:38 |
| S34 | 187 | ((remote adj control\$4) with (download\$3) with (server or db or database or (data adj base))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 10:41 |
| S35 | 6 | ((remote adj control\$4) with (download\$3) with (server or db or database or (data adj base))) and "725"/\$.ccls. and @ad<"20001024" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 10:41 |
| S36 | 1075 | 348/734.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/05 16:41 |
| S37 | 13 | 348/734.ccls. and (automatic\$4 near3 download\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/05 17:07 |
| S38 | 0 | 348/734.ccls. and (missing near3 memory) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/05 17:07 |
| S39 | 2 | 348/734.ccls. and (missing with memory) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/05 17:07 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S40 | 3 | (remote adj control\$3) same (missing near3 memory) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/05 17:08 |
| S41 | 67 | (remote adj control\$3) same (automatic\$4 near3 download\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/05 17:09 |
| S42 | 23 | ((remote adj control\$3) same (automatic\$4 near3 download\$3)) and @ad<"20001024" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/05 17:24 |
| S43 | 5282 | ((remote adj control\$3) with (memory or ROM or RAM or PROM)) and @ad<"20001024" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/05 17:25 |
| S44 | 4607 | ((remote adj control\$3) with (memory or ROM or RAM or PROM) with (code or control)) and @ad<"20001024" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/05 17:25 |
| S45 | 587 | ((remote adj control\$3) with (ROM) with (code or control)) and @ad<"20001024" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/05 17:25 |
| S46 | 670 | ((remote adj control\$3) with (ROM or (read adj only adj memory)) with (code or control)) and @ad<"20001024" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/05 17:26 |
| S47 | 4 | ((remote adj control\$3) with download\$3 with (ROM or (read adj only adj memory)) with (code or control)) and @ad<"20001024" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/05 17:36 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S48 | 200 | "4959810" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/05 17:29 |
| S49 | 2 | "4959810".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/05 17:29 |
| S50 | 996 | ((remote adj control\$3) with (program\$4 or learn\$3) with (memory or RAM or (random adj access adj memory) or ROM or (read adj only adj memory)) with (code or control)) and @ad<"20001024" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/05 17:37 |
| S51 | 148 | ((remote adj control\$3) with (program\$4 or learn\$3) with (memory or RAM or (random adj access adj memory) or ROM or (read adj only adj memory)) with (code or control)) and @ad<"20001024" and ("725"/\$.ccls. or "348"/\$.ccls). | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/05 17:38 |
| S52 | 0 | ((remote adj control\$3) with missing with (program\$4 or learn\$3) with (memory or RAM or (random adj access adj memory) or ROM or (read adj only adj memory)) with (code or control)) and @ad<"20001024" and ("725"/\$.ccls. or "348"/\$.ccls) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/05 17:38 |
| S53 | 4 | ((remote adj control\$3) with new with (program\$4 or learn\$3) with (memory or RAM or (random adj access adj memory) or ROM or (read adj only adj memory)) with (code or control)) and @ad<"20001024" and ("725"/\$.ccls. or "348"/\$.ccls) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/05 17:39 |